

Albert Weiblen Marble & Granite Co., Inc.
521-525 CITY PARK AVENUE
NEW ORLEANS, LA.

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY www.apti.org

For the

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE SPECIAL COLLECTIONS HOWARD-TILTON MEMORIAL LIBRARY

http://seaa.tulane.edu

IMPORTANT INFORMATION CONCERNING MONUMENTS

DIE

DIE AND BASE

The die is the main block of the monument. The base is the bottom part or the block upon which the die is set. A square base is a base with all edges and corners cut square. A beveled base is a base with the top corners and edges beveled. A wash on a base is the same as a bevel.

Where a square base is shown in this book, the design is priced to cover a square base. However, if a beveled base is preferred on one of these designs we will be glad to quote the small additional charge. The designs shown with beveled bases can be furnished only with that kind of base and are priced accordingly.

DIMENSIONS

The dimensions of monuments are always given in this order; width by thickness by height. To find the total height of a monument, add the height of the base to the height of the die. If further information regarding sizes of our monuments is desired write us.

FINISHES

By a polished finish is meant that the granite has been rubbed and highly polished until it has a brilliant mirror-like surface.

A sanded surface is as level as a polished surface but is not highly polished.

It has the natural color and finish of cut granite.

The axed or hammered finish is where the stone has been cut smooth and

tooled to roughen the surface slightly.

The rock finish is very rugged and has the rustic chipped appearance of natural cut stone. This is one of the most beautiful finishes used on granite.

ETTERING

The prices quoted on each design cover sufficient lettering for the names and dates of birth and death. Where an epitaph is desired, the cost will be 20c per letter.

SHIPMENTS

All shipments will be made promptly, but bear in mind the fact that a reasonable time must be allowed, as Each Memorial, Marker and Slab is made to order and requires time according to the size and to the season of the year.

TERMS

WE ALLOW A 10% DISCOUNT FOR CASH IN ADVANCE WITH ORDERS. If monument is desired shipped out "Cash on Delivery," we require a deposit of one-fourth of the selling price of the monument in advance with order, balance to be paid on delivery of monument at depot. We will gladly ship our monuments to any salesmen or customers to be paid for after erection if salesman and customer desiring us to do so will furnish us, at the time order is placed, 4 or 5 names of business firms in their locality with whom they have had business transactions so we can write them for credit reference.

FREIGHT

ALL FREIGHT CHARGES TO CUSTOMER'S NEAREST RAILROAD DEPOT ARE PREPAID BY US. On any shipment to the following states add twenty per cent of the total cost of the monument: Montana, Wyoming, Colorado, New Mexico, Idaho, Utah, Arizona, Nevada, Washington, Oregon and California.

Simple directions for the erection of memorials will be furnished upon request

EPITAPHS

CHILDREN	MISCELLANEOUS								
1 Our Loved One	18 At Rest								
2 Our Little One	19 In Heaven								
4 Gone to Be An Angel 3.00	20 Rest in Peace 2.20 45 He Is Not Dead, But Sleepeth								
6 Our Beloved Baby 2.80	21 Christ Is My Hope 2.80 46 Death Loves a Shining Mark								
7. Gone to a Better Land	22 My Trust Is in God								
8 Darling, We Miss Thee	23 At Rest in Heaven								
9 Blessed Are the Early Dead 4.40 10 Asleep in Jesus, Blessed Thought 5.40	24 In Loving Memory								
11 The Lovely Flower Has Faded 4.65	25 Meet Me in Heaven 2.80 50 God Be With You Till We Meet Again 5.4								
12 Safe in the Arms of Jesus 4.00	2.60 51 1 Know That My Redeemer Liveth								
14 How Soon Fades the Tender Flower 5.40	52 She Was the Sunshine of Our Home								
15 A Fairer Bud of Promise Never Bloomed . 6.20									
16 A Sunbeam from the World Has Vanished . 6.20	28 May He Rest in Peace								
17 A Little Bud of Love Gone to Bloom with God Above, 7.80	30 Nearer My God to The								
	31 God Defends the Right								
EMBLEMS .	33 There Is Rest in Heaven								
All emblems are large, deeply cut, and show up to wonderful	34 His Memory Is Blessed 3.60 59 How Desolate Our Home, Bereft of Thee 6.0								
advantage. The following emblems may all be had at the low	35 His Record Is On High 3.40 60 The Faithful Are Certain of Their Reward 6.8								
cost of \$6.00 each.	36 Forever with the Lord 3.60 61 Faithful to Her Trust Even Unto Death 6.2								
Masonic Blue Lodge Masonic Mystic Shrine	37 Death Is Another Life								
Odd Fellows Knights of Pythias	38 With Christ in Heaven 3.60 63 Father, Into Thy Hands I Commend My Spirit 6.8 40 Gone, But Not Forgotten 3.80 64 Blessed Are the Dead Which Die in the Lord 6.8								
Modern Woodmen Woodmen of the World	40 Gone, But Not Forgotten 3.80 64 Blessed Are the Dead Which Die in the Lord 0.8 42 Jesus Loves the Pure and Holy 4.80 65 Come Unto Me, Ye Weary and I Will Give Thee Rest . 7.4								
Fastern Star American Legion	The desus covers the rule and riory								

STONE MOUNTAIN GRANITE MEMORIALS

"Glorious Sentinels of Eternal Love"

NE of the deepest rooted and most inspiring human customs is that of reverently marking the resting places of the dead. Since it is intended that the marker shall stand as a record for generations to come, and since it should fittingly express the tenderest of all emotions, there are two primary requirements which you want the monuments you erect to meet. They are permanence and beauty. Is it pleasing and suitable in appearance? Will it endure?

For monumental use, the best of all materials is granite, because to it the Creator gave not only surpassing dignity, grace and beauty, but unequaled durability as well. The ancients knew this—monuments they erected thousands of years ago are in perfect condition today, their smooth surfaces glistening as if they were polished yesterday: while any of us can see in nearby cemeteries marble stones only 25 to 50 years old already deteriorated to such an extent that they have become discolored, imperfect and so worn by weather that even the deeply carved inscriptions can scarcely be read.

Why then, you ask, has not granite, with its recognized advantages, long ago displaced marble for monumental use? The answer is simple. Heretofore granite has cost more—the difference has been so great that few except the extremely well-to-do felt that they could afford it. Marble was much cheaper, because, being not nearly so hard as granite, it was so much less expensive to quarry, work, carve, and finish. How significant is the fact, therefore, that of all of the world's finest memorials four-fifths are made of granite.

And how easy it is to foresee the future predominance of granite for all memorial purposes, now that on account of our gigantic scale of operations and the modern labor-saving quarrying machinery employed, we have been able to reduce costs until today we can offer the finest quality granite memorials at prices far below the cost of marble.

At the world-famed Stone Mountain, which in the language of scientists "is the most profound geologic phenomenon in the United States east of the Rockies" and "surpasses anything of its kind yet known in grandeur," carrying above the level of the Piedmont Plain more than 628 million tons—seven and a half billion cubic feet—of the oldest rock known to geologic time and affording an inexhaustible source of the finest true granite, are the quarries from which come the monuments illustrated in this booklet.

Remarkably uniform in color, texture, and composition. Stone Mountain Granite is not only the ideal monumental material, but is well adapted to all kinds of structural purposes, having been used for the construction work of government, municipal, and private buildings in 32 states, the District of Columbia, Cuba and Panama. Its pre-eminent strength, durability, and chemical and physical composition have been demonstrated in tests and analyses made by the highest authorities in the land.

It is on the face of Stone Mountain that there is now being carved the most colossal sculpture ever conceived by the mind of man—the gigantic memorial to the heroes of the South's Lost Cause. The magnitude of the project is illustrated by the fact that a luncheon was served to twenty persons on the brim of General Lee's hat. The perfection of Stone Mountain Granite as a monumental material is proven to the world by its choice for this great memorial. Its surpassing beauty, hardness, and durability have been recognized and praised by the leading geologists, scientists, and sculptors of modern times. It has been estimated that the exposed surface of Stone Mountain wears away or deteriorates only one-fourth inch in 1000 years. So the buyer of a monument from us not only has this certain assurance that he is using a material of flawless, everlasting quality but he will find added comfort and satisfaction in the knowledge that the monument that marks the spot so sacred to him is of the self same stone as Stone Mountain itself, and make the memory of his loved ones as enduring as the fame of the immortal Lee.

We have the most favorable conditions possible for quarrying our granite and this combined with the tremendous finishing plants and facilities as shown and described elsewhere in this catalogue make it possible to produce the finest quality granite memorials at prices far below all competitive companies.

Bear in mind, therefore, thta granite memorials purchased direct from our quarries do not cost more. They actually cost less than marble; so there is no reason to buy memorials of anything but the finest quality and most durable material. Let your memorial be of Stone Mountain Granite—the material everlasting, that will still stand after thousands upon thousands of years, a silent, stately sentinel of inexpressible majesty, dignity and power, fittingly bearing through the ages its sacred message of reverent love and remembrance.

SUPERIORITY OF STONE MOUNTAIN GRANITE

IN presenting a Chemical Analysis of our stone as compared with other grade granites quarried in the United States, we wish to point out the advantages of one granite over another. The most detrimental substances in granite are: Iron Oxide, Iron Sesqui-oxide and Lime.

The combined deposit of Iron Oxide and Iron Sesqui-oxide in Stone Mountain Granite, total only ninety-four hundredths of one per cent. This explains why Stone Mountain Granite has never been known to rust.

The lime content is negligible and the general composition of the stone is such that the entire decomposition would be necessary before the lime could be released to such an extent as to be detrimental.

These facts explain why prominent government and private engineers in the United States and Cuba have so consistently chosen and used Stone Mountain Granite for construction purposes as well as for national and international memorials.

The ability to resist decomposition in all climates is determined by the absorption or porosity of the stone.

Regarding absorption of the stone, a test was made a number of years ago by F. W. Clarke, then chief chemist, Department of Interior, United States Government. He immersed one thousand grammes of Stone Mountain Granite in water at sixty degrees temperature. This was allowed to remain immersed for six days.

This test indicated an absorption of only 254.28 grains of water per cubic foot or approximately one and one-half ounces of water to one hundred sixty-nine pounds of granite. This proves very conclusively that water or the absorption of water cannot possibly have any detrimental effect on Stone Mountain Granite.

	CC	DMF	AR	AT	IVE	C	HE	MICAL AN	ALYSIS		
								Stone Mountain Granite	Imperial Blue	Barre	Westerly
Silica								72.56	72.76	69.89	71.64
Alumina .								14.81	16.92	15.08	15.66
Iron Sesqui-oxide .								_		1.04	2.24
Iron Oxide								.94	1.97	1.46	2.34
Magnesia								.20	.39	.66	Trace
Lime								1.19	1.88	2.07	2.70
Soda								4.94	2.00	4.73	1.57
Potash								5.30	4.08	4.29	5.60
Water uncombined									.09	.31	.48
Water combined									.36	.23	





Interior View of One of Our Cutting Plants

OUR operations include two plants, such as shown in this picture. The one illustrated is 500 feet long and 40 feet wide. Our other finishing plant is 250 feet long by 70 feet wide. Our equipment in these plants includes six overhead electric cranes, more than 20 surfacing machines, as well as carborundum machines, lathes, polishers, and giant saws. We have in use one of the largest air compressors in the United States. Our shops alone have a capacity of more than 200 granite cutters.

Supply Inexhaustible

The supply of Stone Mountain Granite is inexhaustible. The exposed granite alone which protrudes above the level of the Piedmont Plateau would fill ten million, five hundred and seventy-five thousand (10,575,000) freight cars if fifty tons were placed in each car. A train formed of these cars would reach two and one-half times around the earth.







Augustus Lukeman's Model of the Central Group-Stone Mountain Memorial



The World's Largest Memorial

So that you may realize the tremendous magnitude of the first three figures of the Confederate Memorial being carved on the side of Stone. Mountain, we are showing pictures of a ten-story building, an ocean-going steamship, and the great Egyptian Sphinx.

So that the comparison may be accurate, these pictures have been reduced on approximately the same scale. The three figures on the monument will average approximately 153 feet in height, or about the same height as a twelve-story building.

Note the comparative size of the Egyptian Sphinx which, if placed on General Lee's shoulder, would only conceal a part of his head, while the central three figures alone are longer than a giant 550-foot ocean steamship.

The original plans, which are expected to be carried out, call for a legion of additional figures both on foot and on horseback, following the three leaders, which will extend approximately one-quarter of a mile in length. This means that the memorial, when completed, will be about 150 feet in height and approximately one-quarter of a mile in length.

In carving the original three figures, 250.000 tons of granite have already been cut back from around the figures. Truly, this is the largest and most wonderful memorial ever created by mankind.

Airplane View

THIS picture illustrates the magnitude of our operations. In the center may be seen two of our finishing plants. In the background, at the base of the mountain, is shown two of our six quarries. We own and operate a railway system between Stone Mountain and the town of Stone Mountain, Ga., consisting of ample siding facilities, equipped with modern locomotives and freight cars, and including passenger coaches for transporting employees of the Company.

IMPERIAL BLUE

"Elberton's Best Dark Blue Granite"

Our Imperial Blue is a beautiful blue granite quarried in the "red old hills of Georgia" where it was formed millions of years ago by some mighty volcanic action. The supply of flawless stock is inexhaustible, extending to a mighty depth into the earth. Complete, modern equipment at the quarry makes possible prompt delivery of this granite in any size or pattern.

No granite possesses more of the requisite qualities for monumental purposes. It is beautiful, durable and especially adapted to the hand of the sculptor.

Durability is the all-important quality of monumental granite. An examination of the natural outcrops where it has been exposed to sun, rain, frost and wind for many thousands of years shows that the disintegration or decay has been almost nothing.

The greater the ratio of absorption of a granite the greater its tendency to decay and deteriorate. According to the report of the Department of the Interior, United States Geological Survey Bulletin 40, page 112—"The Granites of Vermont," water absorbed by 100 pounds of various granites as compared with Imperial Blue:

Imperial Blue Granite0.28	39
Bethel Granite 0.47	0
New Westerly Milford, N. H 0.42	.5
Hallowell 0.40	15
Concord	1
Westerly	0
Milford, Mass	0
Barre	4

The beauty of the stone is as pronounced as its durability. It is a fine-grained granite of uniform texture, free from blemishes. The absence of iron adds greatly to its value. No granite quarried is more suitably adapted to the various finishes of modern memorials. It takes a high polish, a soft, clean hammered finish and is without equal carved.

It works well under the hammer and gives a striking contrast between the hammered and polished surface, which is requisite for high-grade monumental stock. It is a BEAUTIFUL material, wonderfully adapted to any finish desired in a monumental stone.

TO THOSE WHO PREFER A DARK BLUE GRANITE WE RECOMMEND OUR IMPERIAL BLUE ELBERTON GRANITE!

1st. Because its chemical analysis when compared with that of other granite is found to be the best.

2nd. Because it possesses more of the mineral requisite for a memorial than do other granites.

3rd. Because it absorbs less moisture and is therefore less affected by the agencies of weathering. A granite which absorbs much water will soon disintegrate and discolor. Imperial Blue is insurance against such conditions.

4th. Because it possesses to the utmost degree the Quality of Beauty and is wonderfully adapted to any finish desired.

5th. Because you will be protected by our guarantee of quality.

6th. Because the cruel force of heat and cold, storm and rain, are powerless to efface the expression of your love from this stone.

7th. Because the memorial built of Imperial Blue Granite stands pre-eminently above substitutes.

8th. Because it possesses beauty, dignity, strength and durability—the requisites for a complete memorial.

9th. Because it is demanded by patrons who insist on having the best. Substitutes may be cheaper, but there is something lacking which Imperial Blue supplies.

GEORGIA MARBLE

It's an undisputed fact that Georgia Marble is beyond the shadow of a doubt the best and most durable monumental marble now quarried. It is formed of small crystals that overlap each other, thereby making it moisture-proof, and assures its permanency of color. This also renders it proof against the weather, as it's the same in formation as the famous Grecian Marble, which is still found standing in some of their ancient temples, after a lapse of more than two thousand years. Our mill is located near these famous Georgia Marble Quarries, which enables us to furnish our customers this Matchless Stone, in all its beauty and goodness, at very reasonable prices. Georgia Marble comes in three standard colors: White, Creole and Silver-Grey. The Creole is sometimes called a blue and white mottled Marble. If your customers want the best Marble the country affords, insist on their taking Georgia Marble, and they'll always be satisfied.



800-A

Die 1.6 x 0.6 x 2.0 Base 2.0 x 1.0 x 0.8 Est. Wt. 500 lbs. Ht. 2 ft. 8 in.

800-C

Die 2.0 x 0.8 x 2.6 Base 2.8 x 1.2 x 1.0 Est. Wt. 1150 lbs. Ht. 3 ft. 6 in.

800-B

Die 1.8 x 0.8 x 2.2 Base 2.4 x 1.2 x 0.10 Est. Wt. 800 lbs. Ht. 3 ft.

800-D

Die 2.4 x 0.8 x 2.8 Base 3.2 x 1.4 x 1.0 Est. Wt. 1500 lbs. Ht. 3 ft. 8 in.

Face of die polished, top of base square smooth finish with balance of surfaces of die and base as shown.

DESIGN No. 802

802-A

Die 1.6 x 0.6 x 2.0 Base 2.0 x 1.0 x 0.8 Est. Wt. 510 lbs. Ht. 2 ft. 8 in.

892-C

Die 2.0 x 0.8 x 2.6 Base 2.8 x 1.2 x 1.0 Est. Wt. 1150 lbs. Ht. 3 ft. 6 in.


802-B

Die 1.8 x 0.8 x 2.2 Base 2.4 x 1.2 x 0.10 Est. Wt. 840 lbs. Ht. 3 ft.

802-D

Die 2.4 x 0.8 x 2.8 Base 3.2 x 1.4 x 1.0 Est. Wt. 1500 lbs. Ht. 3 ft. 8 in.

Face of die polished, top axed. Wash on base axed. Balance of die and base as shown,



DESIGN No. 802

804-A

Die 2.6 x 0.6 x 2.2 Base 3.2 x 1.0 x 0.8 Est. Wt. 775 lbs. Total Ht. 2 ft. 10 in.

804-C

Die 3.6 x 0.10 x 3.0 Base 4.4 x 1.6 x 1.0 Est. Wt. 2700 lbs. Total Ht. 4 ft.

804-B

Die 3.0 x 0.8 x 2.8 Base 3.8 x 1.2 x 0.10 Est. Wt. 1600 lbs. Total Ht. 3 ft. 6 in.

804-D

Die 4.0 x 1.0 x 3.6 Base 5.0 x 1.10 x 1.0 Est. Wt. 4100 lbs. Total Ht. 4 ft. 6 in.

Face of die polished, top smooth. Wash on base axed with balance of surfaces as shown.



DESIGN No. 804



DESIGN No. 806

806-A

Die 1.6 x 0.6 x 2.0 Base 2.0 x 1.0 x 0.8 Est. Wt. 500 lbs. Ht. 2 ft. 8 in.

806-C

Die 2.0 x 0.8 x 2.6 Base 2.8 x 1.2 x 1.0 Est. Wt. 1140 lbs. Ht. 3 ft. 6 in.


806-B

Die 1.8 x 0.8 x 2.2 Base 2.4 x 1.2 x 0.10 Est. Wt. 825 lbs. Ht. 3 ft.

806-D

Die 2.4 x 0.8 x 2.8
Base 3.2 x 1.4 x 1.0
Est! Wt. 1500 lbs.
Ht. 3 ft. 8 in.

Face of die polished. Wash on base axed with balance of surfaces as shown.



808-A

Die 1.4 x 0.4 x 1.8 Base 1.10 x 0.10 x 0.8 Est. Wt. 300 lbs. Ht. 2 ft. 4 in.

808-C

Die 2.0 x 0.8 x 2.6 Base 2.8 x 1.4 x 1.0 Est. Wt. 1240 lbs. Ht. 3 ft. 6 in.

808-B

Die 1.6 x 0.6 x 2.0 Base 2.0 x 1.0 x 0.10 Est. Wt. 550 lbs. Ht. 2 ft. 10 in.

808-D

Die 2.6 x 0.8 x 3.2 Base 3.4 x 1.4 x 1.0 Est. Wt. 1700 lbs. Ht. 4 ft. 2 in.

Face of die fine sanded. Balance of die and base finished as shown.

DESIGN No. 810

810-A

Die 1.6 x 0.6 x 2.0 Base 2.0 x 1.0 x 0.8 Est. Wt. 600 lbs. Ht. 2 ft. 8 in.

810-C

Die 2.0 x 0.8 x 2.6 Base 2.8 x 1.2 x 1.0 Est. Wt. 1050 lbs. Ht. 3 ft. 6 in.

810-B

Die 1.8 x 0.6 x 2.4 Base 2.4 x 1.0 x 0.10 Est. Wt. 700 lbs. Ht. 3 ft. 2 in.

810-D

Die 2.6 x 0.8 x 3.2 Base 3.2 x 1.2 x 1.0 Est. Wt. 1600 lbs. Ht. 4 ft. 2 in.

Face of die polished. Balance of surfaces of die and base finished as shown.



DESIGN No. 810

812-A

Die 2.0 x 0.6 x 2.0 Base 2.8 x 1.0 x 0.8 Est. Wt. 650 lbs. Ht. 2 ft. 8 in.

812-C

Die 3.0 x 0.8 x 3.0 Base 3.10 v 1.4 x 0.10 Est. Wt. 1800 lbs. Ht. 3 ft. 10 in.

812-B

Die 2.6 x 0.8 x 2.6 Base 3.2 x 1.2 x 0.8 Est. Wt. 1200 lbs. Ht. 3 ft. 2 in.


812-D

Die 3.6 x 0.10 x 3.6 Base 4.4 x 1.6 x 1.0 Est. Wt. 3000 lbs. Ht. 4 ft. 6 in.

Face of die sanded, balance of surfaces as shown.



DESIGN No. 812



DESIGN No. 814

814-A

Die 1.8 x 0.6 x 2.2 Base 2.4 x 1.0 x 0.10 Est. Wt. 660 lbs. Ht. 3 ft.

814-C

Die 2.4 x 0.8 x 2.10 Base 3.2 x 1.4 x 1.0 Est. Wt. 1550 lbs. Ht. 3 ft. 10 in.

814-B

Die 2.0 x 0.6 x 2.8 Base 2.8 x 1.2 x 1.0 Est. Wt. 1000 lbs. Ht. 3 ft. 8 in.

814-D

Die 2.8 x 0.8 x 3.2 Base 3.6 x 1.4 x 1.0 Est. Wt. 1800 lbs. Ht. 4 ft. 2 in.

Face of die polished. Wash on base axed with balance of surfaces of die and base as shown.



816-A

Die 2.0 x 0.6 x 1.10 Base 2.8 x 1.0 x 0.8 Est. Wt. 625 lbs. Ht. 2 ft. 6 in.

816-C

Die 3.0 x 0.8 x 2.10 Base 3.10 x 1.4 x 0.10 Est. Wt. 1750 lbs. Ht. 3 ft. 8 in.

816-B

Die 2.6 x 0.6 x 2.4 Base 3.4 x 1.2 x 0.10 Est. Wt. 1080 lbs. Ht. 3 ft. 2 in.

816-D

Die 3.6 x 0.10 x 3.2 Base 4.6 x 1.8 x 1.0 Est. Wt. 3000 lbs. Ht. 4 ft. 2 in.

Face of die polished, top smooth finish. Base finished as shown.

DESIGN No. 818

818-A

Die 1.8 x 0.6 x 2.4 Base 2.4 x 1.0 x 0.8 Est. Wt. 625 lbs. Ht. 3 ft.

818-C

Die 2.6 x 0.8 x 3.2 Base 3.2 x 1.2 x 1.0 Est. Wt. 1600 lbs. Ht. 4 ft. 2 in.

818-B

Die 2.0 x 0.8 x 2.6 Base 2.8 x 1.2 x 0.10 Est. Wt. 1060 lbs. Ht. 3 ft. 4 in.

818-D

Die 3.0 x 0.10 x 3.8 Base 4.0 x 1.6 x 1.0 Est. Wt. 2700 lbs. Ht. 4 ft. 8 in.

Face of die sanded with balance of die and base finished as shown.



DESIGN No. 818

820-A

Die 2.0 x 0.6 x 1.10 Base 2.8 x 1.0 x 0.8 Est. Wt. 630 lbs. Ht. 2 ft. 6 in.

820-C

Die 3.0 x 0.8 x 2.10 Base 3.10 x 1.4 x 0.10 Est. Wt. 1700 lbs. Ht. 3 ft. 8 in.


820-B

Die 2.6 x 0.6 x 2.4 Base 3.2 x 1.0 x 0.8 Est. Wt. 900 lbs. Ht. 3 ft.


820-D

Die 3.6 x 0.10 x 3.2 Base 4.6 x 1.8 x 1.0 Est. Wt. 3000 lbs. Ht. 4 ft. 2 in.

Face of die polished, top and ends rocked. Wash on base axed. Balance of base rocked finish.



DESIGN No. 820



DESIGN No. 822

822-A

Die 1.8 x 0.8 x 2.0 Base 2.2 x 1.2 x 0.10 Est. Wt. 850 lbs. Ht. 2 ft. 10 in.

822-C

Die 2.6 x 0.10 x 3.0 Base 3.4 x 1.6 x 1.0 Est. Wt. 2000 lbs. Ht. 4 ft.


822-B

Die 2.0 x 0.8 x 2.4 Base 2.8 x 1.4 x 1.0 Est. Wt. 1200 lbs. Ht. 3 ft. 4 in.

822-D

Die 3.0 x 1.0 x 4.0 Base 4.0 x 1.10 x 1.0 Est. Wt. 3450 lbs. Ht. 5 ft.

Face of die polished, top axed. Wash on base axed with balance of surfaces of die and base finished as shown.



824-A

Die 1.6 x 0.6 x 2.0 Base 2.0 x 1.0 x 0.8 Est. Wt. 500 lbs. Ht. 2 ft. 8 in.

824-C

Die 2.0 x 0.8 x 2.6 Base 2.8 x 1.2 x 1.0 Est. Wt. 1150 lbs. Ht. 3 ft. 6 in.

824-B

Die 1.8 x 0.8 x 2.2 Base 2.4 x 1.2 x 0.10 Est. Wt. 800 lbs. Ht. 3 ft.

824-D

Die 2.6 x 0.8 x 2.10 Base 3.2 x 1.2 x 1.0 Est. Wt. 1500 lbs. Ht. 3 ft. 8 in.

Face of die polished. Wash on base axed. Balance of die and base as shown.

DESIGN No. 826

826-A

Die 1.8 x 0.6 x 2.2 Base 2.4 x 1.0 x 0.10 Est. Wt. 650 lbs. Ht. 3 ft.

826-C

Die 2.4 x 0.8 x 2.10 Base 3.2 x 1.4 x 1.0 Est. Wt. 1550 lbs. Ht. 3 ft. 10 in.

826-B

Die 2.0 x 0.6 x 2.8 Base 2.8 x 1.2 x 1.0 Est. Wt. 1000 lbs. Ht. 3 ft. 8 in.

826-D

Die 2.8 x 0.8 x 3.2 Base 3.6 x 1.4 x 1.0 Est. Wt. 1800 lbs. Ht. 4 ft. 2 in.

Face and bevel top of die polished. Wash on base axed with balance of surface of die and base as shown.



DESIGN No. 826

828-A

Die 1.6 x 0.6 x 1.10 Base 2.0 x 1.0 x 0.8 Est. Wt. 460 lbs. Ht. 2 ft. 6 in.

828-B

Die 1.10 x 0.6 x 2.2 Base 2.6 x 1.0 x 0.10 Est. Wt. 725 lbs. Ht. 3 ft.


828-C

Die 2.2 x 0.8 x 2.6 Base 2.10 x 1.4 x 0.10 Est. Wt. 1200 lbs. Ht. 3 ft. 4 in.

828-D

Die 2.6 x 0.10 x 3.0 Base 3.4 x 1.6 x 0.10 Est. Wt. 1850 lbs. Ht. 3 ft. 10 in.

Face of die polished, back smooth. Wash on base axed with balance of die and base finished as shown.



DESIGN No. 828



DESIGN No. 830

830-A

Die 1.4 x 0.4 x 1.8 Base 1.10 x 0.10 x 0.8 Est. Wt. 300 lbs. Ht. 2 ft. 4 in.

830-C

Die 2.0 x 0.8 x 2.6 Base 2.8 x 1.4 x 1.0 Est. Wt. 1240 lbs. Ht. 3 ft. 6 in.


830-B

Die 1.6 x 0.6 x 2.0 Base 2.0 x 1.0 x 0.10 Est. Wt. 550 lbs. Ht. 2 ft. 10 in.

830-D

Die 2.6 x 0.8 x 3.2 Base 3.4 x 1.4 x 1.0 Est. Wt. 1700 lbs. Ht. 4 ft. 2 in.

Face of die polished, top axed. Balance of die and base finished as shown.



833-A

Die 3.0 x 0.6 x 2.4 Base 3.10 x 1.2 x 0.10 Est. Wt. 1300 lbs. Ht. 3 ft. 2 in.

DESIGN No. 833

833-B

Die 3.6 x 0.8 x 2.6 Base 4.4 x 1.4 x 0.10 Est. Wt. 1975 lbs. Ht. 3 ft. 4 in.

833-C

Die 4.0 x 0.10 x 3.0 Base 5.2 x 1.8 x 1.0 Est. Wt. 3350 lbs. Ht. 4 ft. Face of die polished. Wash on base axed with balance of surfaces as shown.

833-D

Die 5.0 x 1.0 x 3.10 Base 6.2 x 1.10 x 1.0 Est. Wt. 5400 lbs. Ht. 4 ft. 10 in.



834-A

Die 2.6 x 0.6 x 2.0 Base 3.0 x 1.0 x 0.8 Est. Wt. 900 lbs. Ht. 2 ft. 8 in.

834-B

Die 3.0 x 0.8 x 2.6 Base 3.10 x 1.4 x 0.10 Est. Wt. 1600 lbs. Ht. 3 ft. 4 in.

834-C

Die 3.6 x 0.10 x 2.8 Base 4.6 x 1.8 x 1.0 Est. Wt. 2600 lbs. Ht. 3 ft. 8 in.

834-D

Die 4.0 x 1.0 x 2.10 Base 5.2 x 1.8 x 1.0 Est. Wt. 3400 lbs. Ht. 3 ft. 10 in.

Face of die polished, top of base square with smooth finish. Other surfaces of die and base as shown.



837-A

Die 1.8 x 0.6 x 2.2 Base 2.4 x 1.0 x 0.10 Est. Wt. 660 lbs. Ht. 3 ft.

837-C

Die 2.4 x 0.8 x 2.10 Base 3.2 x 1.4 x 1.0 Est. Wt. 1550 lbs. Ht. 3 ft. 10 in

837-B

Die 2.0 x 0.6 x 2.8 Base 2.8 x 1.2 x 1.0 Est. Wt. 1000 lbs. Ht. 3 ft. 8 in.

837-D

Die 2.8 x 0.8 x 3.2 Base 3.6 x 1.4 x 1.0 Est. Wt. 1800 lbs. Ht. 4 ft. 2 in.

Face of die polished. Wash on base axed with balance of surfaces of die and base as shown.

DESIGN No. 838

838-A

Die 2.6 x 0.6 x 2.0 Base 3.0 x 1.0 x 0.8 Est. Wt. 900 lbs. Ht. 2 ft. 8 in.

838-C

Die 3.6 x 0.10 x 2.8 Base 4.6 x 1.8 x 1.0 Est. Wt. 2600 lbs. Ht. 3 ft. 8 in.

838-B

Die 3.0 x 0.8 x 2.6 Base 3.10 x 1.4 x 0.10 Est. Wt. 1600 lbs. Ht. 3 ft. 4 in.


838-D

Die 4.0 x 1.0 x 2.10 Base 5.2 x 1.8 x 1.0 Est. Wt. 3400 lbs. Ht. 3 ft. 10 in.

Face of die smooth sanded. Top of base square with smooth finish. Balance of die and base as shown.



DESIGN No. 838



840-A

Die 2.6 x 0.6 x 1.4 Base 3.2 x 1.0 x 0.8 Est. Wt. 660 lbs. Ht. 2 ft.

840-B

Die 3.0 x 0.8 x 1.8 Base 3.10 x 1.4 x 0.8 Est. Wt. 1200 lbs. Ht. 2 ft. 4 in.

840-C

Die 3.6 x 0.10 x 1.10 Base 4.4 x 1.6 x 0.10 Est. Wt. 1900 lbs. Ht. 2 ft. 8 in.

Face of die polished. Wash on base axed with balance of surfaces as shown.

840-D

Die 4.0 x 1.0 x 2.2 Base 5.0 x 1.10 x 0.10 Est. Wt. 3000 lbs. Ht. 3 ft.



Die 2.6 x 0.6 x 2.0 Base 3.2 x 1.0 x 0.8 Est. Wt. 800 lbs. Ht. 2 ft. 8 in.

844-B

Die 3.0 x 0.8 x 2.4 Base 3.10 x 1.4 x 0.10 Est. Wt. 1750 lbs. Ht. 3 ft. 2 in.

844-C

Die 3.6 x 0.10 x 2.6 Base 4.4 x 1.6 x 1.0 Est. Wt. 2450 lbs. Ht. 3 ft. 6 in.

844-D

Die 4.0 x 1.0 x 2.10 Base 5.0 x 1.10 x 1.0 Est. Wt. 3750 lbs. Ht. 3 ft. 10 in.

Face of die polished, top axed. Wash on base axed with balance of surfaces as shown.



DESIGN No. 844

DESIGN No. 841

841-A

Die 2.6 x 0.6 x 2.6 Base 3.0 x 1.0 x 0.8 Est. Wt. 1000 lbs. Ht. 3 ft. 2 in.

841-C


Die 3.6 x 0.10 x 3.6 Base 4.6 x 1.6 x 1.0 Est. Wt. 3000 lbs. Ht. 4 ft. 6 in. 841-B

Die 3.0 x 0.8 x 3.0 Base 3.10 x 1.4 x 0.10 Est. Wt. 1850 lbs. Ht. 3 ft. 10 in.

841-D

Die 4.0 x 1.0 x 4.0 Base 5.2 x 2.0 x 1.0 Est. Wt. 4700 lbs. Ht. 5 ft.

Face of die polished, balance as shown. Wash on base axed, balance rocked.



846-A

Die 3.0 x 0.6 x 2.4 Base 3.10 x 1.2 x 0.10 Est. Wt. 1300 lbs. Ht. 3 ft. 2 in.

DESIGN No. 846

846-B

Die 3.6 x 0.8 x 2.6 Base 4.4 x 1.4 x 0.10 Est. Wt. 1975 lbs. Ht 3 ft. 4 in.


846-C

Die 4.0 x 0.10 x 3.0 Base 5.2 x 1.8 x 1.0 Est. Wt. 3350 lbs. Ht. 4 ft.

Face of die polished. Wash on base axed with balance of surfaces as shown.

846-D

Die 5.0 x 1.0 x 3.10 Base 6.2 x 1.10 x 1.0 Est. Wt. 5400 lbs. Ht. 4 ft. 10 in.



849-A

Die 2.6 x 0.6 x 1.10 Base 5.0 x 1.0 x 0.8 Two vases 0.8 x 0.8 x 0.8 Est. Wt. 1100 lbs. Ht. 2 ft. 6 in. 849-B

Die 3.0 x 0.8 x 2.0

Base 5.8 x 1.6 x 0.8

Est. Wt. 1840 lbs.

Ht. 2 ft. 8 in.

Two vases 0.10 x 0.10 x 0.10


DESIGN No. 849

849-C

Die 3.6 x 0.10 x 2.2 Base 6.0 x 1.6 x 0.10 Two vases 1.0 x 1.0 x 1.0 Est. Wt. 2600 lbs. Ht. 3 ft. 849-D

Die 4.0 x 1.0 x 2.6 Base 7.0 x 1.10 x 0.10 Two vases 1.2 x 1.2 x 1.2 Est. Wt. 3500 lbs. Ht. 3 ft. 4 in.

Face of die polished, top and ends rocked, base square smooth top, balance rocked. Vases, smooth top, balance rocked.



850-A

Die 2.6 x 0.6 x 1.10 Base 5.0 x 1.0 x 0.8 Est. Wt. 1025 lbs. Ht. 2 ft. 6 in.

850-B

Die 3.0 x 0.8 x 2.0 Base 5.8 x 1.6 x 0.8 Est. Wt. 1740 lbs. Ht. 2 ft. 8 in.

850-C

Die 3.6 x 0.10 x 2.2 Base 6.0 x 1.6 x 0.10 Est. Wt. 2500 lbs. Ht. 3 ft.

850-D

Die 4.0 x 1.0 x 2.6 Base 7.0 x 1.10 x 0.10 Est. Wt. 3400 lbs. Ht. 3 ft. 4 in.

Face of die polished, top and ends rocked, base square smooth top, balance rocked. Round holes in each end of base for shrubbery or cut flowers.



DESIGN No. 852

852-A

Die 2.6 x 0.6 x 1.10 Base 3.2 x 1.0 x 0.8 Est. Wt. 725 lbs. Ht. 2 ft. 6 in.

852-C

Die 3.6 x 0.10 x 2.6 Base 4.4 x 1.6 x 0.10 Est. Wt. 2500 lbs. Ht. 3 ft. 8 in.

852-B

Die 3.0 x 0.8 x 2.2 Base 3.10 x 1.4 x 0.10 Est. Wt. 1440 lbs. Ht. 3 ft.

852-D

Die 4.0 x 1.0 x 2.10 Base 5.2 x 1.10 x 1.0 Est. Wt. 3800 lbs. Ht. 3 ft. 10 in.

Face of die polished, top axed. Wash on base axed with balance of surface as shown.

854-A

Die 2.6 x 0.6 x 2.4 Base 3.0 x 0.10 x 0.8 Est. Wt. 800 lbs. Ht. 3 ft.

854-C

Die 3.6 x 0.10 x 3.2 Base 4.4 x 1.6 x 1.0 Est. Wt. 2800 lbs. Ht. 4 ft. 2 in.

854-B

Die 3.0 x 0.8 x 2.8
Base 3.8 x 1.2 x 0.10
Est. Wt. 1600 lbs.
Ht. 3 ft. 6 in.


854-D

Die 4.0 x 1.0 x 3.8 Base 5.0 x 1.8 x 1.0 Est. Wt. 4300 lbs. Ht. 4 ft. 8 in.

Face of die polished or axed, wash on base axed. All other surfaces as shown.



DESIGN No. 854



856-A

Die 2.6 x 0.6 x 2.0 Base 3.2 x 1.0 x 0.8 Est. Wt. 950 lbs. Ht. 2 ft. 8 in.

856-B

Die 3.0 x 0.8 x 2.4 Base 3.10 x 1.4 x 0.10 Est. Wt. 1600 lbs. Ht. 3 ft. 2 in.

856-C

Die 3.6 x 0.10 x 2.6 Base 4.4 x 1.6 x 0.10 Est. Wt. 2250 lbs. Ht. 3 ft. 4 in.

856-D

Die 4.0 x 1.0 x 2.10 Base 5.2 x 1.10 x 1.0 Est. Wt. 3700 lbs. Ht. 3 ft. 10 in.

Face of die polished. Wash on base axed with balance of surfaces as shown.



857-A

Die 2.6 x 0.6 x 1.10 Base 3.2 x 1.0 x 0.8 Est. Wt. 725 lbs. Ht. 2 ft. 6 in.

857-C

Die 3.6 x 0.10 x 2.6 Base 4.4 x 1.6 x 0.10 Est. Wt. 2500 lbs. Ht. 3 ft. 8 in.

857-B

Die 3.0 x 0.8 x 2.2 Base 3.10 x 1.4 x 0.10 Est. Wt. 1440 lbs. Ht. 3 ft.

857-D

Die 4.0 x 1.0 x 2.10 Base 5.2 x 1.10 x 1.0 Est. Wt. 3800 lbs. Ht. 3 ft. 10 in.

Face of die polished, top axed. Wash on base axed with balance of surfaces as shown.



858-A

Die 2.6 x 0.6 x 1.10 Base 3.2 x 1.0 x 0.8 Est. Wt. 800 lbs. Ht. 3 ft. 8 in.

858-B

Die 3.0 x 0.8 x 2.2 Base 3.10 x 1.4 x 0.10 Est. Wt. 1440 lbs. Ht. 3 ft.

858-C

Die 3.6 x 0.10 x 2.6 Base 4.4 x 1.6 x 0.10 Est. Wt. 2500 lbs. Ht. 3 ft. 8 in.

858-D

Die 4.0 x 1.0 x 2.10 Base 5.2 x 1.10 x 1.0 Est. Wt. 3800 lbs. Ht. 3 ft. 10 in.

Face of die polished, balance of die and base smooth finish.



859-A

Tablet 2.6 x 0.6 x 1.10 Est. Wt. 400 lbs. Ht. 1 ft. 10 in.

859-C

Tablet 4.0 x 0.10 x 2.6 Est, Wt. 1400 lbs. Ht. 2 ft. 6 in.

859-B

Tablet 3.0 x 0.8 x 2.0 Est. Wt. 700 lbs. Ht. 2 ft.

859-D

Tablet 5.0 x 1.0 x 3.0 Est. Wt. 2600 lbs. Ht. 3 ft.

Face polished, balance of surfaces smooth finish.

860-A

Die 1.6 x 0.6 x 3.0 Base 2.0 x 0.10 x 0.8 Est. Wt. 580 lbs. Ht. 3 ft. 8 in.

860-B

Die 2.0 x 0.8 x 4.0 Base 2.8 x 1.2 x 0.10 Est. Wt. 1400 lbs. Ht. 4 ft. 10 in.



DESIGN No. 860

860-C

Die 2.6 x 0.10 x 5.0 Base 3.4 x 1.6 x 1.0 Est. Wt. 2750 lbs. Ht. 6 ft.

860-D

Die 2.6 x 1.0 x 5.0 Base 3.6 x 1.10 x 1.0 Est. Wt. 3500 lbs. Ht. 6 ft.

Face of die polished. Balance of Monument all smooth finish.



DESIGN No. 862

862-A

Die 1.8 x 0.8 x 3.10 Base 2.4 x 1.2 x 0.8 Est. Wt. 1080 lbs. Ht. 4 ft. 6 in.

862-B

Die 2.0 x 0.8 x 4.6 Base 3.0 x 1.6 x 0.10 Est. Wt. 1750 lbs. Ht. 5 ft. 4 in.

862-C


Die 2.6 x 0.10 x 6.0 Base 3.6 x 1.6 x 0.10 Est. Wt. 3000 lbs. Ht. 6 ft. 10 in.

862-D

Die 3.0 x 1.0 x 7.0 Base 4.2 x 1.10 x 1.0 Est. Wt. 4000 lbs. Ht. 8 ft.

Face of die polished with balance of surfaces of die smooth finish. Top of base axed with axed margin line around top edges. Balance of base rocked finish.

--- 27



864-A

Die 2.6 x 0.6 x 2.0 Base 3.0 x 1.0 x 0.8 Est. Wt. 700 lbs. Ht. 2 ft. 8 in.

864-B

Die 3.0 x 0.8 x 2.4 Base 3.8 x 1.2 x 0.10 Est. Wt. 1400 lbs. Ht. 3 ft. 2 in.

864-C

Die 3.6 x 0.10 x 2.10 Base 4.4 x 1.6 x 1.0 Est. Wt. 2500 lbs. Ht. 3 ft. 10 in.

Face of die polished. Balance of monument smooth finish.

864-D

Die 4.0 x 1.0 x 3.4 Base 5.0 x 1.10 x 1.0 Est. Wt. 3800 lbs. Ht. 4 ft. 4 in.



865-A

Die 2.6 x 0.6 x 1.10 Base 3.2 x 1.0 x 0.8 Est. Wt. 725 lbs. Ht. 2 ft. 6 in.

865-C

Die 3.6 x 0.10 x 2.6 Base 4.4 x 1.6 x 0.10 Est. Wt. 2500 lbs. Ht. 3 ft. 8 in.

865-B

Die 3.0 x 0.8 x 2.2 Base 3.10 x 1.4 x 0.10 Est. Wt. 1440 lbs. Ht. 3 ft.

865-D

Die 4.0 x 1.0 x 2.10 Base 5.2 x 1.10 x 1.0 Est. Wt. 3800 lbs. Ht. 3 ft. 10 in.

Face of die polished, top axed. Wash on base axed with balance of surfaces rocked.



866-A

Die 3.0 x 0.6 x 2.0 Base 3.8 x 1.0 x 0.8 Est. Wt. 950 lbs. Ht. 2 ft. 8 in.

866-B

Die 3.6 x 0.8 x 2.4 Base 4.4 x 1.4 x 0.10 Est. Wt. 1800 lbs. Ht. 3 ft. 2 in.

866-C

Die 4.0 x · 0.10 x 2.6 Base 5.2 x 1.8 x 1.0 Est. Wt. 3100 lbs. Ht. 3 ft. 6 in.

866-D

Die 6.0 x 1.0 x 3.2 Base 7.4 x 1.10 x 1.0 Est. Wt. 5000 lbs. Ht. 4 ft. 2 in.

Face of die polished, top, ends and back axed. Wash on base axed with axed margin linearound top edges of base. Balance of base rocked.



867-A

Die 2.6 x 0.6 x 2.4 Base 3.0 x 0.10 x 0.8 Est. Wt. 800 lbs. Ht. 3 ft.

867-C

Die 3.6 x 0.10 x 3.2 Base 4.4 x 1.6 x 1.0 Est. Wt. 2,800 lbs. Ht. 4 ft. 2 in.

867-B

Die 3.0 x 0.8 x 2.8 Base 3.8 x 1.2 x 0.10 Est. Wt. 1,600 lbs. Ht. 3 ft. 6 in.

867-D

Die 4.0 x 1.0 x 3.8 Base 5.0 x 1.8 x 1.0 Est. Wt. 4300 lbs. Ht. 4 ft. 8 in.

Face of die polished, top axed. Wash on base axed, balance as shown.



868-A

Die 3.6 x 0.8 x 2.0 Base 4.6 x 1.4 x 0.8 Est. Wt. 1500 lbs. Ht. 2 ft. 8 in. 868-B

Die 4.6 x 0.10 x 2.4 Base 5.6 x 1.8 x 0.10 Est. Wt. 2900 lbs. Ht. 3 ft. 2 in. 868-C

Die 5.6 x 1.0 x 2.8 Base 6.8 x 2.0 x 1.0 Est. Wt. 4900 lbs. Ht. 3 ft. 8 in. 868-D

Die 6.6 x 1.0 x 3.0 Base 8.0 x 2.4 x 1.0 Est. Wt. 6800 lbs. Ht. 4 ft.

Face and back of die polished and treated as design shows. Top axed, ends rocked with margin lines. Wash on base axed, axed margin lines as shown, balance rocked



869-A

Die 2.6 x 0.6 x 1.10 Base 3.2 x 1.0 x 0.8 Est. Wt. 725 lbs. Ht. 2 ft. 6 in.

869-C

Die 3.6 x 0.10 x 2.4 Base 4.4 x 1.6 x 0.10 Est. Wt. 2400 lbs. Ht. 3 ft. 2 in.


869-B

Die 3.0 x 0.8 x 2.2 Base 3.10 x 1.4 x 0.10 Est. Wt. 1440 lbs. Ht. 3 ft.

869-D

Die 4.0 x 1.0 x 2.8 Base 5.2 x 1.10 x 1.0 Est. Wt. 3700 lbs. Ht. 3 ft. 8 in.

Face of die polished, top axed. Wash on base axed, with balance of surfaces as shown.



870-A

Die 2.6 x 0.8 x 2.0 Base 3.0 x 1.2 x 0.8 Est. Wt. 1000 lbs. Ht. 2 ft. 8 in.

DESIGN No. 870

870-B

Die 3.0 x 0.8 x 2.6 Base 3.10 x 1.2 x 0.10 Est. Wt. 1550 lbs. Ht. 3 ft. 4 in.


870-C

Die 3.6 x 0.10 x 2.10 Base 4.6 x 1.6 x 1.0 Est. Wt. 2700 lbs. Ht. 3 ft. 10 in.

Face of die polished, balance smooth finish. Wash on base axed, balance rocked.

870-D

Die 4.0 x 1.0 x 3.2 Base 5.2 x 2.0 x 1.0 Est. Wt. 4400 lbs. Ht. 4 ft. 2 in.





872-A

Die 2.0 x 0.10 x 2.4 Base 2.8 x 1.4 x 0.10 Est. Wt. 1225 lbs. Ht. 3 ft. 2 in.

872-B

Die 2.4 x 1.0 x 2.8 Base 2.10 x 1.6 x 1.0 Est. Wt. 1700 lbs. Ht. 3 ft. 8 in.

Face of die polished, top axed. Wash on base axed with balance of die and base as shown. Price includes W. O. W. emblem shown.

874-A

Die 1.8 x 0.8 x 2.0 Base 2.2 x 1.2 x 0.10. Est. Wt. 800 lbs. Ht. 2 ft. 10 in.

874-B

Die 2.2 x 1.0 x 2.8 Base 2.8 x 1.6 x 1.0 Est. Wt. 2000 lbs. Ht. 3 ft. 8 in.

Face of die polished, wash on base axed. Balance of die and base as shown. Prices include W. O. W. emblem shown.



DESIGN No. 874



875-A

Die 2.6 x 0.6 x 2.2 Base 3.0 x 0.10 x 0.8 Est. Wt. 800 lbs. Ht. 2 ft .10 in.

875-C

Die 3.6 x 0.10 x 3.0 Base 4.4 x 1.6 x 1.0 Est. Wt. 2800 lbs. Ht. 4 ft.


875-B

Die 3.0 x 0.8 x 2.6 Base 3.8 x 1.2 x 0.10 Est. Wt. 1600 lbs. Ht. 3 ft. 4 in.

875-D

Die 4.0 x 1.0 x 3.6 Base 5.0 x 1.8 x 1.0 Est. Wt. 4300 lbs. Ht. 4 ft. 6 in.

Face of die polished or axed, wash on base axed. All other surfaces finished as shown.



Die 3.0 x 0.6 x 2.0 Base 3.10 x 1.0 x 0.8 Est. Wt. 950 Ht. 2 ft. 8 in. 876-B

Die 3.6 x 0.8 x 2.4 Base 4.6 x 1.4 x 0.10 Est. Wt. 1825 lbs. Ht. 3 ft. 2 in. 876-C

Die 4.0 x 0.10 x 2.8 Base 5.2 x 1.8 x 1.0 Est. Wt. 3100 lbs. Ht. 3 ft. 8 in. 876-D

Die 5.0 x 1.0 x 3.2 Base 6.4 x 1.10 x 1.0 Est. Wt. 5000 lbs. Ht. 4 ft. 2 in.

Face of die polished, top axed, back and ends smooth. Top of base square, smooth sanded with sides and ends smooth.



877-A

Die 2.6 x 0.6 x 1.10 Base 3.2 x 1.0 x 0.8 Est. Wt. 725 lbs. Ht. 2 ft. 6 in.

877-C

Die 3.6 x 0.10 x 2.4 Base 4.4 x 1.6 x 0.10 Est. Wt. 2400 lbs. Ht. 3 ft. 2 in.


877-B

Die 3.0 x 0.8 x 2.2 Base 3.10 x 1.4 x 0.10 Est. Wt. 1440 lbs. Ht. 3 ft.

877-D

Die 4.0 x 1.0 x 2.8 Base 5.2 x 1.10 x 1.0 Est. Wt. 3700 lbs. Ht. 3 ft. 8 in.

Face of die polished, top axed. Wash on base axed with balance of surfaces as shown.



Die 3.0 x 0.8 x 2.0 Base 3.10 x 1.4 x 0.8 Est. Wt. 1300 lbs. Ht. 2 ft. 8 in.

DESIGN No. 878


878-B

Die 4.0 x 0.10 x 2.6 Base 4.10 x 1.6 x 0.10 Est. Wt. 2600 lbs. Ht. 3 ft. 4 in. 878-C

Die 4.6 x 1.0 x 2.10 Base 5.6 x 1.10 x 1.0 Est. Wt. 4000 lbs. Ht. 3 ft. 10 in. 878-D

Die 5.0 x 1.0 x 3.0 Base 6.2 x 1.10 x 1.0 Est. Wt. 4700 lbs. Ht. 4 ft.

Face of die polished, top axed, ends rocked. Wash on base axed, balance as shown.



879-A

Die 2.6 x 0.6 x 1.10 Base 3.2 x 1.0 x 0.8 Est. Wt. 725 lbs. Ht. 2 ft. 6 in.

879-C

Die 3.6 x 0.10 x 2.4 Base 4.4 x 1.6 x 0.10 Est. Wt. 2400 lbs. Ht. 3 ft. 2 in.

879-B

Die 3.0 x 0.8 x 2.2 Base 3.10 x 1.4 x 0.10 Est. Wt. 1440 lbs. Ht. 3 ft.

879-D

Die 4.0 x 1.0 x 2.8 Base 5.2 x 1.10 x 1.0 Est. Wt. 3700 lbs. Ht. 3 ft. 8 in.

Face of die polished, top axed. Wash on base axed, with balance of surfaces as shown.



880-A

Die 2.6 x 0.6 x 1.8 Base 3.2 x 1.0 x 0.8 Est. Wt. 650 lbs. Ht. 2 ft. 4 in.

880-B

Die 3.0 x 0.8 x 2.0 Base 3.10 x 1.4 x 0.10 Est. Wt. 1050 lbs. Ht. 2 ft. 10 in.

880-C

Die 3.6 x 0.10 x 2.4 Base 4.6 x 1.6 x 0.10 Est. Wt. 2300 lbs. Ht. 3 ft. 2 in.

880-D

Die 4.0 x 1.0 x 2.8 Base 5.0 x 1.10 x 1.0 Est. Wt. 2800 lbs. Ht. 3 ft. 8 in.

Face of die polished or axed finish. Balance of die and base smooth finish. In ordering this design please state whether face of die is wanted polished or axed.



881-A

Die 2.6 x 0.6 x 2.4 Base 3.0 x 0.10 x 0.8 Est. Wt. 800 lbs. Ht. 3 ft.

881-C

Die 3.6 x 0.10 x 3.2 Base 4.4 x 1.6 x 1.0 Est. Wt. 2800 lbs. Ht. 4 ft. 2 in.

881-B

Die 3.0 x 0.8 x 2.8 Base 3.8 x 1.2 x 0.10 Est. Wt. 1600 lbs. Ht. 3 ft. 6 in.

881-D

Die 4.0 x 1.0 x 3.8 Base 5.0 x 1.8 x 1.0 Est. Wt. 4300 lbs. Ht. 4 ft. 8 in.

Face of die polished, wash on base axed. All other surfaces finished as shown.



882-A

Die 2.6 x 0.8 x 2.0 Base 3.0 x 1.2 x 0.8 Est. Wt. 1000 lbs. Ht. 2 ft. 8 in.

882-B

Die 3.0 x 0.8 x 2.6 Base 3.10 x 1.2 x 0.10 Est. Wt. 1550 lbs. Ht. 3 ft. 4 in.

882-C

Die 3.6 x 0.10 x 2.10 Base 4.6 x 1.6 x 1.0 Est. Wt. 2700 lbs. Ht. 3 ft. 10 in.

882-D

Die 4.0 x 1.0 x 3.2 Base 5.2 x 2.0 x 1.0 Est. Wt. 4400 lbs. Ht. 4 ft. 2 in.

Face of die polished, balance smooth finish. Wash on base axed, balance rocked.



883-A

Die 1.6 x 0.6 x 2.0 Base 2.0 x 1.0 x 0.8 ^ Est. Wt. 510 lbs. Ht. 2 ft. 8 in.

883-C

Die 2.0 x 0.8 x 2.6 Base 2.8 x 1.2 x 1.0 Est. Wt. 1150 lbs. Ht. 3 ft. 6 in.

883-B

Die 1.8 x 0.8 x 2.2 Base 2.4 x 1.2 x 0.10 Est. Wt. 840 lbs. Ht. 3 ft.

883-D

Die 2.4 x 0.8 x 2.8 Base 3.2 x 1.4 x 1.0 Est. Wt. 1500 lbs. Ht. 3 ft. 8 in.

Face of die polished, top axed. Wash on base axed. Balance of die and base as shown.

DESIGN No. 884

884-A

Die 3.0 x 0.6 x 2.0 Base 3.10 x 1.0 x 0.8 Et. Wt. 950 lbs. Ht. 2 ft. 8 in.

884-C

Die 4.0 x 0.10 x 2.8 Base 5.2 x 1.8 x 1.0 Est. Wt. 3100 lbs. Ht. 3 ft. 8 in.

884-B

Die 3.6 x 0.8 x 2.4
Base 4.6 x 1.4 x 0.10
Est. Wt. 1825 lbs.
Ht. 3 ft. 2 in.

884-D

Die 5.0 x 1.0 x 3.2 Base 6.2 x 1.10 x 1.0 Est. Wt. 5000 lbs. Ht. 4 ft. 2 in.

Face of die polished, balance of die smooth finish. Wash on base axed, axed margin line around top edges of base. Balance of base rocked.



885-A

Die 1.6 x 0.6 x 2.0 Base 2.0 x 1.0 x 0.8 Est. Wt. 510 lbs. Ht. 2 ft. 8 in.

885-C

Die 2.0 x 0.8 x 2.6 Base 2.8 x 1.2 x 1.0 Est. Wt. 1150 lbs. Ht. 3 ft. 6 in.


885-B

Die 1.8 x 0.8 x 2.2 Base 2.4 x 1.2 x 0.10 Est. Wt. 840 lbs. Ht. 3 ft.

885-D

Die 2.4 x 0.8 x 2.8 Base 3.2 x 1.4 x 1.0 Est. Wt. 1500 lbs. Ht. 3 ft. 8 in.

Face of die polished, top axed, back sanded. Wash on base axed. Balance of die and base rocked.





DESIGN No. 869

869-A

Die 2.6 x 0.6 x 1.10 Base 3.2 x 1.0 x 0.8 Est. Wt. 725 lbs. Ht. 2 ft. 6 in.

869-C

Die 3.6 x 0.10 x 2.6 Base 4.4 x 1.6 x 0.10 Est. Wt. 2500 lbs. Ht. 3 ft. 8 in.

869-B

Die 3.0 x 0.8 x -2.2 Base 3.10 x 1.4 x 0.10 Est. Wt. 1440 lbs. Ht. 3 ft.

869-D

Die 4.0 x 1.0 x 2.10 Base 5.2 x 1.10 x 1.0 Est. Wt. 3800 lbs. Ht. 3 ft. 10 in.

Face of die polished, top axed. Wash on base axed with balance of surfaces rocked.

--- 45 km



892-A

Die 2.6 x 0.8 x 2.0 Base 3.2 x 1.2 x 0.8 Est. Wt. 1025 lbs. Ht. 2 ft. 8 in.

892-C

Die 3.8 x 1.0 x 3.0 Base 4.8 x 2.0 x 1.0 Est. Wt. 4000 lbs. Ht. 4 ft.

892-B

Die 3.0 x 0.10 x 2.6 Base 3.10 x 1.8 x 0.10 Est. Wt. 2050 lbs. Ht. 3 ft. 4 in.

892-D

Die 4.6 x 1.0 x 3.4 Base 5.8 x 2.2 x 1.0 Est. Wt. 5800 lbs. Ht. 4 ft. 4 in.

This is an all rocked design carrying family name as shown on front face of die, with inscription on back of die in plain axed panel. Inscription will be sunken.

DESIGN No. 894

894-A

Die 2.0 x 0.6 x 1.10 Base 2.8 x 1.0 x 0.8 Est. Wt. 625 lbs. Ht. 2 ft. 6 in.

894-C

Die 3.0 x 1.0 x 2.8 Base 3.10 x 1.8 x 1.0 Est. Wt. 2550 lbs. Ht. 3 ft. 8 in.


894-B

Die 2.6 x 0.8 x 2.4 Base 3.2 x 1.2 x 0.10 Est. Wt. 1260 lbs. Ht. 3 ft. 2 in.


894-D

Die 3.6 x 1.0 x 3.0 Base 4.6 x 1.10 x 1.0 Est. Wt. 3300 lbs. Ht. 4 ft.

Die and base all rocked except axed wash on base. Family name on front of die in axed panel as shown. Inscription will be placed on back of die in plain axed panel.



DESIGN No. 894



Die 3.0 x 0.6 x 1.10 Base 3.8 x 1.0 x 0.8 Est. Wt. 900 lbs. Ht. 2 ft. 6 in.

DESIGN No. 896

896-B

Die 3.6 x 0.8 x 2.2 Base 4.4 x 1.4 x 0.10 Est. Wt. 1750 lbs. Ht. 3 ft.

896-C

Die 4.0 x 0.10 x 2.6 Base 5.2 x 1.8 x 1.0 Est. Wt. 3200 lbs. Ht. 3 ft. 6 in.

Back of die rocked. Balance of monument finished as shown.

896-D

Die 5.0 x 1.0 x 3.0 Base 6.4 x 1.10 x 1.0 Est. Wt. 4000 lbs. Ht. 4 ft.



898-A

Cross 1.4 x 0.4 x 2.4 Base 1.10 x 0.10 x 0.10 Est. Wt. 340 lbs. Ht. 3 ft. 2 in.

898-C

Cross 2.0 x 0.8 x 3.6 Base 2.10 x 1.4 x 1.0 Est. Wt. 1400 lbs. Ht. 4 ft. 6 in.

898-B

Cross 1.8 x 0.6 x 2.10 Base 2.4 x 1.0 x 1.0 Est. Wt. 700 lbs. Ht. 3 ft. 10 in.

898-D

Cross 2.6 x 1.0 x 4.6 Base 3.6 x 1.10 x 1.0 Est. Wt. 2800 lbs. Ht. 5 ft. 6 in.

Face of cross polished, back, top and ends smooth. Wash on base axed, balance rocked.

DESIGN No. 900

900-A

Cross 0.8 x 0.4 x 1.0 Die 1.6 x 0.6 x 1.10 Base 2.0 x 1.0 x 0.8 Est. Wt. 520 lbs. Ht. 3 ft. 6 in.

900-C

Cross 1.0 x 0.4 x 1.0 Die 2.0 x 0.10 x 2.6 Base 2.8 x 1.4 x 1.0 Est. Wt. 1400 lbs. Ht. 4 ft. 10 in.

900-B

Cross 0.10 x 0.4 x 1.2 Die 1.10 x 0.8 x 2.2 Base 2.4 x 1.2 x 0.8 Est. Wt. 850 lbs. Ht. 4 ft.

900-D

Cross 1.2 x 0.6 x 1.6 Die 2.4 x 1.0 x 3.0 Base 3.0 x 1.6 x 1.0 Est. Wt. 2100 lbs. Ht. 5 ft. 6 in.

Face of cross polished, balance smooth finish. Face of die polished, top axed, and ends rocked. Wash on base axed, balance rocked.



DESIGN No. 900



Tablet 1.6 x 0.4 x 3.0 Est. Wt. 260 lbs. Ht. 3 ft.

DESIGN No. 901

901-B

Tablet 2.0 x 0.6 x 4.0 Est. Wt. 710 lbs.

901-C

Tablet 2.6 x 0.8 x 5.0

Est. Wt. 1450 lbs.

Ht. 5 ft.

Face polished, balance of surfaces as shown.

901-D

Tablet 3.0 x 0.10 x 6.0 Est. Wt. 2600 lbs. Ht. 6 ft.

--- 49 }---



DESIGN No. 902

902-A

Cross Arms 1 ft. 4 in. Cross 1.4 x 0.4 x 2.2 Base 1.2 x 0.10 x 0.8 2nd Base 1.8 x 1.4 x 0.10 Est. Wt. 500 lbs. Ht. 3 ft. 8 in.

902-C


Cross Arms 1 ft. 8 in. Cross 1.8 x 0.8 ex 3.2 Base 1.6 x 1.2 x 0.10 2nd Base 2.0 x 1.8 x 1.0 Est. Wt. 1100 lbs. Ht. 4 ft. 10 in. 902-B

Cross Arms 1 ft. 6 in. Cross 1.6 x 0.6 x 2.6 Base 1.4 x 1.0 x 0.8 2nd Base 1.10 x 1.6 x 0.10 Est. Wt. 800 lbs. Ht. 4 ft.

902-D

Cross Arms 2 ft. 2 in. Cross 2.2 x 0.10 x 4.0 Base 1.10 x 1.6 x 0.10 2nd Base 2.6 x 2.2 x 1.0 Est. Wt. 2050 lbs. Ht. 5 ft. 10 in.

Face of cross polished. Wash on base axed, face polished. Wash on second base axed, balance surfaces as shown.





Die 1.2 x 0.4 x 1.6 Base 1.8 x 0.8 x 0.6 Est. Wt. 200 lbs. Ht. 2 ft.

905-B

Die 1.4 x 0.6 x 1.8 Base 1.10 x 1.0 x 0.8 Est. Wt. 400 lbs. Ht. 2 ft. 4 in.


DESIGN No. 906

906-A

Die 1.2 x 0.4 x 1.4 Base 1.8 x 0.8 x 0.6 Est. Wt. 200 lbs. Ht. 1 ft. 10 in. **906-B**Die 1.4 x 0.6 x 1.8

Base 1.10 x 1.0 x 0.8 Est. Wt. 400 lbs. Ht. 2 ft. 4 in.

Face of die polished. Top of base square sanded. Balance of die and base as shown.



DESIGN No. 905

Face and top of die polished and ends rocked. Top of base square smooth, balance as shown.





DESIGN No. 904

904-A

Die 1.2 x 0.4 x 1.4 Base 1.8 x 0.8 x 0.6 Est. Wt. 200 lbs. Ht. 1 ft. 10 in.

904-B

Die 1.4 x 0.6 x 1.8 Base 1.10 x 1.0 x 0.8 Est. Wt. 400 lbs. Ht. 2 ft. 4 in.

Face of die polished. Top of base square sanded. Balance of die and base as shown.



DESIGN No. 906

908-A

908-B

Die 1.2 x 0.4 x 1.4 Base 1.8 x 0.8 x 0.6 Est. Wt. 200 lbs. Ht. 1 ft. 10 in. Die 1.4 x 0.6 x 1.8 Base 1.10 x 1.0 x 0.8 Est. Wt. 400 lbs. Ht. 2 ft. 4 in.

Face of die polished. Top of base square sanded. Balance of die and base as shown.



DESIGN No. 908

DESIGN No. 910

910-A

Die 1.2 x 0.4 x 1.4 Base 1.8 x 0.8 x 0.6 Est. Wt. 200 lbs. Ht. 1 ft. 10 in.

910-B

Die 1.4 x 0.6 x 1.8 Base 1.10 x 1.0 x 0.8 Est. Wt. 400 lbs. Ht. 2 ft. 4 in.

Face of die polished. Top of base square smooth sanded. Balance as shown.



DESIGN No. 910



DESIGN No. 912

912-A

Die 1.2 x 0.4 x 1.4 Base 1.8 x 0.8 x 0.6 Est. Wt. 200 lbs. Ht. 1 ft. 10 in.

912-B

Die 1.4 x 0.6 x 1.8 Base 1.10 x 1.0 x 0.8 Est. Wt. 400 lbs. Ht. 2 ft. 4 in.

Face of die polished with balance of surfaces of die and base as shown.







-- \$ 52 } ---

914-A

914-B

Slab 6.0 x 3.0 x 0.4 Est. Wt. 1000 lbs. Slab 6.0 x 3.0 x 0.6 Est. Wt. 1500 lbs.

914-C

914-D

Slab 6.6 x 3.6 x 0.6 Est. Wt. 1900 lbs. Slab 7.0 x 3.6 x 0.6 Est. Wt. 2100 lbs.

Top of slab polished, bottom level, edges rocked.

DESIGN No. 916

916-A

916-B

Slab 6.0 x 3.0 x 0.4 Est. Wt. 1000 lbs. Slab 6.0 x 3.0 x 0.6 Est. Wt. 1500 lbs.

916-C

916-D

Slab 6.6 x 3.6 x 0.6 Est. Wt. 1900 lbs. Slab 7.0 x 3.6 x 0.6 Est. Wt. 2100 lbs.

Top of slab polished, bottom level, edges square smooth sanded.

DESIGN No. 918

918-A

918-B

Slab 6.0 x 3.0 x 0.4 Est. Wt. 1000 lbs. Slab 6.0 x 3.0 x 0.6 Est. Wt. 1500 lbs.

918-C

918-D

Slab 6.6 x 3.6 x 0.6 Est. Wt. 1900 lbs. Slab 7.0 x 3.6 x 0.6 Est. Wt. 2100 lbs.

Top of slab polished, bottom level, edges and bevel sanded.



920-A

Slab 6.0 x 3.0 x 0.4 Est. Wt. 1080 lbs.

920-B Slab 6.0 x 3.0 x 0.6 Est. Wt. 1620 lbs. 920-C

920-D Slab 6.6 x 3.0 x 0.6 Est. Wt. 1750 lbs.

Slab 7.0 x 3.0 x 0.6 Est. Wt. 1850 lbs.

920-E Slab 8.0 x 4.0 x 0.8 Est. Wt. 2850 lbs.

Top of slab polished, bottom level, edges rocked. Bronze emblem shown above inscription not included in prices but can be furnished at additional cost of \$6.00.

Cross can be left off if desired.



922-A

Die 3.0 x 0.8 x 1.2 Base 3.6 x 1.2 x 0.6 Est. Wt. 900 lbs. 922-B

Die 3.4 x 0.10 x 1.4 Base 4.0 x 1.4 x 0.8 Est. Wt. 1100 lbs. Ht. 2 ft. 4 in. 922-C

Die 4.0 x 1.2 x 1.6 Base 4.10 x 1.10 x 0.10 Est. Wt. 2800 lbs. Ht. 2 ft. 10 in.

Slant face of die polished. Washes on base axed. Balance of surfaces as shown.

If Designs No. 924 and 926 are wanted with base, price will be same as quoted on Design No. 922. If base is desired for Design No. 928-A add \$30.00, 928-B \$42.00 and 928-C \$60.00.



924-A

3.0 x 0.8 x 1.2 Est. Wt. 440 lbs. 924-B 3.4 x 0.10 x 1.4 Est. Wt. 500 lbs. **924-C** 4.0 x 1.2 x 1.6 Est. Wt. 900 lbs.

Slant face polished. Balance of surfaces as shown.



DESIGN No. 926

926-B

926-A3.0 x 0.8 x 1.2
Est. Wt. 440 lbs.

3.4 x 0.10 x 1.4 Est. Wt. 500 lbs. 926-C 4.0 x 1.2 x 1.6 Est. Wt. 900 lbs.

Slant face polished. Balance of surfaces as shown.



D

928-A3.0 x 0.8 x 1.2
Est. Wt. 400 lbs.

928-B3.4 x 0.10 x 1.4
Est. Wt. 500 lbs.

928-C

4.0 x 1.2 x 1.6 Est. Wt. 900 lbs.

Slant face polished, back smooth sanded, ends and top axed. Lower portions rocked as shown.



DESIGN No. 930

930-B 930-A

Wt. 180 lbs.

930-C 1.6 x· 0.10 x 0.10 2.0 x 1.0 x 0.6 Wt. 180 lbs. Wt. 180 lbs.

2.0 x 1.0 x 0.10

Bevel top, all surfaces axed.



DESIGN No. 932

932-B 932-A 1.6 x 0.10 x 0.10

2.0 x 1.0 x 0.6 Wt. 180 lbs.

2.0 x 1.0 x 1.0 Wt. 360 lbs.

932-C

Bevel top polished, balance surfaces rocked. If top is desired smooth sanded deduct \$1.00 from listed prices.



DESIGN No. 934

934-A

934-B

934-C

1.8 x 0.10 x 1.2 Est. Wt. 225 lbs. 2.0 x 0.10 x 1.4 Est. Wt. 360 lbs.

2.6 x 0.10 x 1.4 Est. Wt. 400 lbs.

Slant face polished, balance rocked.



DESIGN No. 936

936-A

936-B

936-C

1.6 x 0.10 x 0.10 Wt. 180 lbs.

2.0 x 1.0 x 0.6 Wt. 180 lbs.

.2.0 x 1.0 x 1.0 Wt. 360 lbs.

Bevel top polished, balance surfaces rocked. If top is desired smooth sanded deduct \$1.00 from listed prices.



DESIGN No. 938

938-A

938-B

933-C

1.8 x 0.10 x 1.2 Est. Wt. 225 lbs.

2.0 x 0.10 x 1.4 Est. Wt. 360 lbs.

2.6 x 0.10 x 1.4 Est. Wt. 400 lbs.

Slant face polished, balance rocked.



DESIGN No. 940

940-A

940-B


940-C

1.6 x 0.10 x 0.10 Wt. 180 lbs.

2.0 x 1.0 x 0.6 Wt. 180 lbs.

2.0 x 1.0 x 1.0 Wt. 360 lbs.

Bevel top polished, balance surfaces rocked. If top is desired smooth sanded deduct \$1.00 from listed prices.



COPING DESIGN C-1

Coping	Post
0.6 x 0.10 6.25 0.8 x 0.10	0.4 x 0.4 x 1.0 \$6.50 0.6 x 0.6 x 1.2 7.00 0.8 x 0.8 x 1.4 9.00 0.10 x 0.10 x 1.6 12.00
Coping all smooth canded finish square edges	Posts all smooth sanded finish square ton

Entrance Step

2.0	X	0.6	X	0.4							,			. 5	\$ 1	4	. 0	0
2.6	х	0.8	Х	0.6											1	7	.0	0
3.0	Х	0.8	Х	0.6											1	8	.0	0
3.0	X	0.1	0 3	0.8	3.									,	2	5	.0	0
									_								,	

Step all smooth sanded finish, square edges and carrying one family name, sunken on front Face

with sanded bevel edges, sides

rocked.



COPING DESIGN C-2

Coping	Post
0.4 x 0.10,\$5.60	0.4 x 0.4 x 1.0 \$8.50
0.6 x 0.8 6.10	0.6 x 0.6 x 1.2 9.25
0.6 x 0.10	0.8 x 0.8 x 1.4
	0.10 x 0.10 x 1.6
	Post all smooth sanded sides, top apex axed.

Entrance Step

2.0	Х	0.6	х	0	.4						 							. §	1	4.	. 0	(
2.6	X	0.8	Х	0	. 6						 								1	7.	. 0	(
3.0	Х	0.8	х	0	. 6						 								1	8.	. 0	(
3.0	X	0.10) ;	X	0.	8.		,			 								2	5.	. 0	(
S	ter	all	5	m	00	th	sa	ın	d	ed	fi:	ni	sł	١.	S	aı	11.7	re		ed	g	e:

and carrying one family name, sunken on front

COPING DESIGN C-4

Entrance Step
 2.0 x 0.6 x 0.4
 \$15.00

 2.6 x 0.8 x 0.6
 18.00

 3.0 x 0.8 x 0.6
 20.00

 3.0 x 0.10 x 0.8
 27.00



COPING DESIGN C-3

Coping	Post	Entrance Step
0.6 x 0.8	0.6 x 0.6 x 1.2 \$6.50 0.8 x 0.8 x 1.4 10.50	2.6 x 0.8 x 0.6 \$16.00 3.0 x 0.8 x 0.6 17.00
.o x 1.0 10.00	0.10 x 0.10 x 1.6 11.50	3.0 x 0.10 x 0.8 23.00 Step flat smooth sanded top
Coping smooth sanded top		oreh nar smooth sanded tol

Post smooth sanded top with carrying family name sunkensanded bevel edges, sides rocked. Sides rocked finish. All above prices on coping are for one running foot. Prices on posts and entrance steps are for one post or one step.

0.8 x 1.0 9.40 Step smooth sanded on top and back side Front side polished and carrying family name Coping flat sanded top, square edges, sides

Coping

0.6 x 0.8



DESIGN No. 945

945-A	945-B	945-C
1.2 x 0.8 x 0.4 Est. Wt. 50 lbs.	1.4 x 0.10 x 0.6 Est. Wt. 85 lbs.	
Price \$13.00		Price \$19.00

Flat sanded top with sides and ends rocked. Price includes one name of not over six letters sunken style.



DESIGN No. 947

947-A	x 0.4 x 1.0	947-B
Price		0.6 x 0.6 x 1.2 Price \$6.00

Top flat smooth sanded, sides rocked. No letter included in price. If family initial is wanted add 30c per letter.

Beautiful Monuments from Genuine Georgia Marble



DESIGN No. 950

DESIGN No. 950

950-A

Die 1.6 x 0.3 x 3.4 Base 2.0 x 0.10 x 0.10 Est. Wt. 480 lbs. Ht. 4 ft. 2 in.

950-C

Die 1.0 x 0.2 x 2.6 Base 1.6 x 0.8 x 0.8 Est. Wt. 195 lbs. Ht. 3 ft. 2 in.

950-E

Die 1.0 x 0.2 x 2.0 Base 1.4 x 0.6 x 0.6 Est. Wt. 120 lbs. Ht. 2 ft. 6 in.

950-G

Die 0.8 x 0.2 x 1.6 Base 1.0 x 0.6 x 0.6 Est. Wt. 75 lbs. Ht. 2 ft. 0 in.

950-B

Die 1.4 x 0.2 x 3.0 Base 1.10 x 0.10 x 0.10 Est. Wt. 345 lbs. Ht. 3 ft. 10 in.

950-D

Die 1.2 x 0.2 x 2.8

Base 1.8 x 0.8 x 0.8

Est. Wt. 225 lbs.

Ht. 3 ft. 4 in.

950-F

Die 0.10 x 0.2 x 1.10 Base 1.2 x 0.6 x 0.6 Est. Wt. 105 lbs. Ht. 2 ft. 4 in.

950-H

Die 1.2 x 0.4 x 1.8 Base 1.6 x 0.8 x 0.8 Est. Wt. 240 lbs. Ht. 2 ft. 4 in.



952-A

Die 1.6 x 0.8 x 2.6 Base 1.10 x 1.0 x 1.0 Est. Wt. 780 lbs. Ht. 3 ft. 6 in.

952-C

Die 1.2 x 0.4 x 1.10 Base 1.6 x 0.8 x 0.8 Est. Wt. 255 lbs. Ht. 2 ft. 6 in.

952-B

Die 1.4 x 0.6 x 2.2 Base 1.8 x 0.10 x 0.10 Est. Wt. 465 lbs. Ht. 3 ft. 0 in.

952-D

Die 1.0 x 0.3 x 1.8 Base 1.4 x 0.6 x 0.6 Est. Wt. 175 lbs. Ht. 2 ft. 2 in.

Furnished in Genuine Georgia Marble, either white, silver-grey or Creole colors.

DESIGN No. 954

954-A

Die 1.6 x 0.6 x 1.8 Base 1.10 x 0.10 x 0.10 Est. Wt. 450 lbs. Ht. 2 ft. 6 in.

954-B Die

Die 1.4 x 0.4 x 1.6 Base 1.8 x 0.8 x 0.8 Est. Wt. 300 lbs. Ht. 2 ft. 2 in.

954-C

Die 1.2 x 0.3 x 1.4 Base 1.6 x 0.8 x 0.8 Est. Wt. 200 lbs. Ht. 2 ft.

954-D

Die 1.0 x 0.2 x 1.4 Base 1.4 x 0.6 x 0.6 Est. Wt. 150 lbs. Ht. 1 ft. 10 in.



DESIGN No. 954

956-B

956-A
Die 1.6 x 0.6 x 3.0
Base 2.0 x 1.0 x 0.10
Est. Wt. 700 lbs.
Ht. 3 ft. 10 in.

956-C
Die 1.4 x 0.4 x 2.0
Base 1.8 x 0.8 x 0.8
Ht. 2 ft. 8 in.
Est. Wt. 315 lbs.

956-D Die 1.0 x 0.3 x 1.6 Base 1.4 x 0.6 x 0.6 Est. Wt. 150 lbs. Ht. 2 ft.

Die 1.4 x 0.6 x 2.4

Est. Wt. 480 lbs.

Ht. 3 ft. 2 in.


Base 1.8 x 0.10 x 0.10

Furnished in Genuine Georgia Marble, either white, silver-grey or Creole

colors.



DESIGN No. 956



DESIGN No. 958

958-A

Die 1.8 x 0.10 x 2.6 Base 2.0 x 1.2 x 0.8 B. B. 2.4 x 1.6 x 1.0 Est. Wt. 1700 lbs. Ht. 4 ft. 2 in.

958-C

Die 1.6 x 0.6 x 2.0 Base 1.10 x 0.10 x 0.6 B. B. 2.2 x 1.2 x 0.10 Est. Wt. 900 lbs. Ht. 3 ft. 4 in.

958-B

Die 1.6 x 0.8 x 2.0 Base 1.10 x 1.0 x 0.8 B. B. 2.2 x 1.4 x 1.0 Est. Wt. 1200 lbs. Ht. 3 ft. 8 in.

958-D

Die 1.4 x 0.4 x 1.8
Base 1.8 x 0.8 x 0.4
B. B. 2.0 x 1.0 x 0.8
Est. Wt. 525 lbs.
Ht. 2 ft. 8 in.



960-A

Die 1.4 x 0.8 x 1.10 Base 1.8 x 1.0 x 0.10 Est. Wt. 550 lbs. Ht. 1 ft. 8 in.

960-B

Die 1.2 x 0.6 x 1.6 Base 1.6 x 0.10 x 0.8 Est. Wt. 315 lbs. Ht. 2 ft. 2 in.

960-C

Die 1.0 x 0.6 x 1.4 Base 1.4 x 0.10 x 0.8 Est. Wt. 270 lbs. Ht. 2 ft.

960-D

Die 0.10 x 0.3 x 1.0 Base 1.2 x 0.6 x 0.6 Est. Wt. 100 lbs. Ht. 1 ft. 6 in.

Furnished in Genuine Georgia Marble, either white, silver-grey or Creole colors. The "D" size will be furnished with lamb carved on top of die.



DESIGN No. 962

962-A

Die 1.2 x 1.2 x 4.0
Base 1.6 x 1.6 x 0.10
B. B. 2.0 x 2.0 x 1.2
Est. Wt. 2160 lbs.
Ht. 6 ft. 0 in.

962-C

Die 0.10 x 0.10 x 3.0 Base 1.2 x 1.2 x 0.8 B. B. 1.6 x 1.6 x 0.10 Est. Wt. 885 lbs. Ht. 4 ft. 6 in. 962-B

Die 1.0 x 1.0 x 3.6 Base 1.4 x 1.4 x 0.8 B. B. 1.8 x 1.8 x 1.0 Est. Wt. 1335 lbs. Ht. 5 ft. 2 in.

962-D

Die 0.8 x 0.8 x 2.6 Base 1.0 x 1.0 x 0.6 B. B. 1.4 x 1.4 x 0.8 Est. Wt. 495 lbs, Ht. 3 ft. 8 in.

Furnished in Genuine Georgia Marble, either white, silver-grey or Creole colors.



DESIGN No. 963

963-A

2.0 x 1.0 x 1.0

963-B

1.10 x 0.10 x 0.10

963-C

1.6 x 0.10 x 0.6



Die 1.4 x 0.10 x 3.0 Base 1.8 x 1.2 x 0.8 B. B. 2.0 x 1.6 x 1.0 Est. Wt. 1380 lbs. Ht. 4 ft. 8 in.

DESIGN No. 964

964-B

Die 1.2 x 0.8 x 2.6

Base 1.6 x 1.0 x 0.8

B. B. 1.10 x 1.4 x 0.10

Est. Wt. 885 lbs.

Ht. 4 ft. 0 in.

964-C

Die 1.0 x 0.6 x 2.0 Base 1.4 x 0.10 x 0.6 B. B. 1.8 x 1.2 x 0.8 Est. Wt. 520 lbs. Ht. 3 ft. 2 in.

966-A

Die 2.4 x 0.6 x 2.4 Base 2.10 x 1.0 x 0.10 Est. Wt. 900 lbs. Ht. 3 ft. 2 in.

966-C

Die 1.10 x 0.4 x 1.10 Base 2.2 x 0.8 x 0.8 Est. Wt. 425 lbs. Ht. 2 ft. 6 in.

966-B

Die 2.2 x 0.4 x 2.2 Base 2.8 x 0.10 x 0.10 Est. Wt. 600 lbs. Ht. 3 ft. 0 in.

966-D

Die 1.6 x 0.2 x 1.6 Base 1.10 x 0.6 x 0.6 Est. Wt. 210 lbs. Ht. 2 ft. 0 in.

Furnished in Genuine Georgia Marble, either white, silver-grey or Creole colors.



DESIGN No. 966



968-A

Die 3.4 x 1.0 x 3.4 Base 3.10 x 1.6 x 0.10 B. B. 4.6 x 2.2 x 1.2 Est. Wt. 4920 lbs. Ht. 5 ft. 4 in.

968-D

Die 2.4 x 0.6 x 2.4 Base 2.8 x 0.10 x 0.6 B. B. 3.0 x 1.2 x 0.10 Est. Wt. 1215 lbs. Ht. 3 ft. 8 in.

DESIGN No. 968 968-B

Die 3.0 x 0.10 x 3.0
Base 3.4 x 1.2 x 0.8
B. B. 3.10 x 1.8 x 1.0
Est. Wt. 2970 lbs.
Ht. 4 ft. 8 in.

18.F

Die 2.0 x 0.4 x 2.0 Base 2.2 x 0.6 x 0.4 B. B. 2.6 x 1.0 x 0.8 Est. Wt. 600 lbs. Ht. 3 ft. 0 in.

968-C

Die 2.8 x 0.8 x 2.8

Est. Wt. 2160 lbs.

Ht. 4 ft. 4 in.

Base 3.0 x 1.0 x 0.8

B. B. 3.6 x 1.6 x 1.0



Die 1.2 x 1.2 x 4.0 Base 1.8 x 1.8 x 1.4 Est. Wt. 1600 lbs. Ht. 5 ft. 4 in.

DESIGN No. 970 970-B

Die 1.2 x 1.2 x 3.6 Base 1.8 x 1.8 x 1.2 Est. Wt. 1300 lbs. Ht. 4 ft. 8 in.

970-C

Die 1.0 x 1.0 x 3.0 Base 1.6 x 1.6 x 1.0 Est. Wt. 1000 lbs. Ht. 4 ft.

This design can be furnished with plain, square, smooth base in "A" size at a price of \$130.00.
"B" size at a price of \$118.00 and "C" size at a price of \$100.00.
We will gladly handle collection of \$100.00 from W. O. W. headquarters on any monument

We will gladly handle collection of \$100.00 from W.O.W. headquarters on any monument purchased from us, for deceased member of W.O.W. lodge whose insurance policy entitles him to a monument.



